

Lockheed Martin Technology Services Environmental Services REAC 2890 Woodbridge Avenue, Building 209 Annex Edison, NJ 08837-3679 Telephone 732-321-4200 Facsimile 732-494-4021

DATE: November 26, 2008

TO: Philip R. Campagna, U.S. EPA/ERT Work Assignment Manager

Rajeshmal Singhvi, U.S. EPA/ERT Alan Humphrey, U.S. EPA/ERT

FROM: Scott Grossman, REAC Task Leader

SUBJECT: SOIL AND GEOPHYSICAL SURVEY: ASSESSMENT OF PUBLIC WORKS

(OBRAS PUBLICAS) SITE, GUANICA, PUERTO RICO - WORK ASSIGNMENT #0-

358 – FINAL REPORT

PURPOSE

This report presents the results of an environmental investigation conducted at the Public Works site in September 2008 by personnel from the Lockheed Martin Response Engineering and Analytical Contract (REAC) in consultation with the Environmental Protection Agency (EPA) Environmental Response Team (ERT) Work Assignment Manager (WAM). The objectives of the Work Assignment (WA) are to use geophysical methodologies to look for drum-like anomalies and collect soil samples in the areas where the anomalies are detected. Soil samples were submitted to the ERT/REAC Laboratory in Edison, New Jersey (NJ) for target analyte list (TAL) metals and target compound list (TCL) volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs) and pesticides/polychlorinated biphenyls (PCBs) analyses. The project was initiated under REAC WA No. EAC00358.

BACKGROUND

The site consists of a 2-acre vacant lot and is located within a residential area of Guanica (Figure 1). The property is being considered for development as a shopping center. Aerial photography shows at least three buildings were formerly located on the site, but all of these structures have been removed and only the concrete slabs remain. The site has cleared and grassy areas, mounds of debris, and areas that are heavily vegetated with shrubs and trees. A school is adjacent to the site along the western perimeter. A wooded area, municipal building and highway (PR-33) are located along the eastern boundary of the site. The site is bounded to the north by a wooded area and high-rise building and to the south by a road (CII 13 de Marzo) and a residential area.

A preliminary geophysical survey of a portion of the site by ERT/REAC in August 2008 indicated at least one area potentially contains buried metal and some scattered metal was observed on the surface of the site (LM REAC 2008).

ACTIVITIES

Geophysical Survey

A time-domain electromagnetic (TDEM) survey was conducted using a Geonics® EM61 MK2 (EM-61) instrument over as much of the site as possible. Some portions of the site were not accessible due to thick vegetation, debris piles or concrete slab structures. Two distinct survey grids were established on the site, Area 1 to the on the southern portion of the site and Area 2 on the northern portion of the site (Figure 1). The survey grids were set-up using measuring tapes and a right angle prism by running a baseline along the northern boundary of the grid. Survey lines were spaced 3 feet apart. The locations of all corners of the grids were obtained in the field using a differential global positioning system (dGPS).

The EM-61 is a time-domain metal detector that induces a magnetic field in the earth and measures the secondary magnetic field that is created. Measurements are made over different time gates providing better discrimination of the materials based on the decay of their secondary magnetic field. Data collected during the survey were uploaded to a portable computer and processed. The processed data were contoured using Surfer software and then interpreted. After the EM-61 survey was completed, a ground penetrating radar (GPR) system was used to confirm and refine the locations of anomalies identified during the TDEM survey. A GPR survey was conducted in two of the three target areas in Area 2, one of the target areas (Target Area 1) could not be surveyed because of standing water on that portion of the grid (Figure 1 and 3).

Soil Sampling

Soil samples were collected in areas where geophysical anomalies were detected during the EM survey. Target Area 1 and Target Area 2 were targeted for soil sampling (Figure 3). Surface soil samples were collected using a decontaminated stainless steel trowel to a depth of 6 inches below ground surface (bgs). Soil for VOC analyses was collected directly into a glass sample container to minimize VOC losses. After the VOC sample was collected, the remainder of the sample was placed into a dedicated pan and homogenized. Sub-samples of the homogenized soil were placed in glass jars for SVOC, Pesticide/PCBs, and metals analyses.

At all sample locations, an attempt was made to collect a subsurface soil sample to a maximum depth of 3 feet bgs using a decontaminated stainless steel bucket auger. Due to the rocky nature of the soil, it was only possible to collect subsurface samples at Locations 3 and 4 of the seven locations. Soil for VOC analyses was transferred directly from the auger into a glass sample container. The remainder of the soil was transferred to a dedicated pan and homogenized. The homogenized soil was transferred to a sample container for SVOC, Pesticide/PCBs, and metals analyses.

All samples were maintained under custody of the task leader in a cooler on wet ice prior to shipment to the ERT/REAC laboratory. Prior to shipment, labels and chain-of-custody forms were generated using SCRIBE database software.

Soil Gas Sampling

At the same locations (based on the geophysical survey, as described above) the soil samples were collected, the sampling team intended on collecting shallow (to a depth 3 feet bgs) soil gas samples. Due to the heavy rain at the time of sampling event, the water table was close to or above the ground surface and soil gas sampling was not possible.

Sample Handling And Custody

All samples submitted to the ERT/REAC Laboratory for analyses were maintained on the site in a sample cooler on wet ice under the task leader's custody. Prior to shipping the samples, all field data were entered into the SCRIBE database and Chain of Custody (COC) records were generated. The COC records were placed in the sample cooler and shipped via Federal Express. All COC records received a peer review in the field prior to transport in accordance with REAC SOP #4005, *Chain of Custody Procedures*. At least two custody seals were placed across the shipping containers to ensure sample integrity during shipping.

RESULTS AND DISCUSSION

The field investigation was conducted between 23 and 25 September 2008 at the Public Works (Obras Publicas) Site in Guanica, Puerto Rico. Due to heavy rains and standing water throughout much of the site, it was not possible to collect any soil gas samples. The standing water on the site also impacted the GPR survey over Target Area 1. All site activities were photodocumented (Appendix A).

Geophysical Survey

Figure 2 provides the EM61 differential response for Survey Areas 1 and 2. Survey Area 1 was rectangular in shape and was located on the southern portion of the site. This area had a low response on the EM-61 indicating little or no buried metal. Some of the responses were correlated with small metal objects on, or just under, the ground surface.

Survey Area 2 was located on the northern portion of the site and had an irregular shape due to the accessibility limitations of the survey equipment created by high vegetation and a debris pile. The northern and western portions of Survey Area 2 had a higher differential response indicating significant levels of buried metal in three target areas (Target Area 1, Target Area 2, and Target Area 3) as indicated on Figure 2.

Target Area 1 contained the largest metal anomaly (20 x 60 feet) and based on GPR data collected during the site visit in August, was the most likely to contain buried drums (REAC, 2008). The GPR data showed chaotic regions in the profiles from the radar waves reflecting off surfaces that are not parallel to the surface or to each other. There also appeared to be a disturbed area above the anomalies. These anomalies are also large enough to be caused by metal objects several feet long.

Target Area 2 had the second largest metal anomaly. Based on the GPR data collected during this investigation, it appeared this area contained smaller metal objects (about 2 feet across) and metal reinforced concrete (Figure 4). Target Area 3 had the smallest anomaly of the three target areas and based on the GPR data appeared to contain smaller pieces of metal dispersed throughout the target area (Figure 4).

Based on the results of the geophysical survey, Target Area 1 is most likely to contain buried 55-gallon drums. The excavation of test pits would be required to definitively conclude whether the anomalies observed during the survey were 55-gallon drums and not other metal debris. Although Target Area 2 contained the second largest metal anomaly, the GPR indicated that this anomaly was likely caused by smaller metal objects and metal reinforced concrete. The GPR data show no indication of drums being buried in Target Area 2, but if Target Area 1 is excavated Target Area 2 should also be excavated because of its small size and proximity to Target Area 1.

Soil Sampling

Seven surficial surface soil samples and two subsurface soil samples were collected in Target Areas 2 and 3 (Figure 3). The samples were submitted for VOC, SVOC, Pesticide/PCBs, and metals analyses. Tables 1 through 4 contain a summary of the analytical results. A discussion of the analytical methods and the validated data are included in the Final Analytical Report (Appendix B).

Three semivolatile compounds were detected in the soil samples (Table 1). All three compounds were phthalates (di-n-butylphthalate, butylbenzylphthalate, and bis-(2-ethylhexyl) phthalate. All compounds were detected at low concentrations, below the reporting limit with the exception of butylphthalate, which was detected at a concentration of 1,370 micrograms per kilogram (μ g/kg) in the subsurface sample collected at Location 3 (6 to 12 inches depth).

Four pesticide compounds (p,p'-DDE, dieldrin, p,p'-DDD, and p,p'-DDD) and one PCB Aroclor (1260) were detected in the soil samples (Table 2). Of the four pesticide compounds, p,p'-DDE and p,p'DDT were detected the most frequently and generally at the highest concentrations. The compound p,p'-DDE was found in eight of the nine soil samples and at concentrations up to 25.0 μ g/kg at Location 7 (surface); p,p'-DDT was detected in seven of the nine soil samples at concentrations up to 29.8 μ g/kg at Location 3 (6 to 12 inches depth). Aroclor 1260 was the only PCB Aroclor detected in the soil samples, but it was detected in every sample at concentrations up to 133 μ g/kg in the surface sample collected at Location 5 (surface).

Only one volatile compound (acetone) was detected in the soil samples (Table 3). Acetone was detected in three of the nine samples and was only detected at concentrations below the Reporting Limit (RL).

Twenty-one metals were detected in the soil samples (Table 4). There was no trend between location and metal concentration (i.e., no one location overall contained the highest metal concentrations). Arsenic was detected at concentrations up to 6.96 milligrams per kilogram (mg/kg), chromium at concentrations up to 727 mg/kg, copper at concentrations up to 45.1 mg/kg, lead at concentrations up to 243 mg/kg, mercury at concentrations up to 0.119 mg/kg, and zinc up to 208 mg/kg.

The concentrations of metals in surface soils collected during this investigation were compared to the EPA Region 3 Risk-Based Concentration (RBC) Table (EPA Region III, 2008) for soil screening levels (SL). These tables provide guidance to help determine if contaminants may be present at levels of potential concern. Generally, at sites where contaminant concentrations fall below SLs, no further action or study is warranted under the Superfund program. Contaminant concentrations above the SL would not automatically trigger a response action; however, exceeding a SL suggests that further evaluation of the potential risks by site contaminants is appropriate.

Based on the close proximity and potential exposure to children, the TAL metals concentrations were compared to the USEPA Region 3 Residential Soil Screening levels. Total chromium (assumed 1:6 ratio hexavalent chromium to trivalent chromium) that ranged up to 727 mg/kg of total chromium exceeded the residential SL of 280 mg/kg for all soil samples. Chromium appears to be the primary soil contaminant of concern. Further investigation of metals in soil, particularly chromium should be considered for the remainder of the site.

With the exception of chromium, low levels of other contaminants were detected throughout Target Areas 1 and 2 in surface and subsurface soil samples. Without additional sampling and assessment, it is impossible to conclude whether these contaminants are related to drums that may have been buried on the site or to background levels throughout the general area. Site soils appear to consist mainly of fill so it is unknown if these contaminants are site related or are associated with the fill.

FUTURE ACTIVITIES

No future activities are expected at this time.

REFERENCES

US EPA Region 3. 2008. Master Regional Screening Level Table. Oak Ridge National Laboratory. Available at http://www.epa.gov/reg3hwmd/risk/human/rb-concentration_table/Generic_Tables/index.htm.

Table 1 Semivolatiles Results - Soil Samples Public Works Site Guanica, PR

All Concentrations in micrograms/kilogram, dry weight

Sample	Sample	Sample			
Location	Number	Date	Di-n-butylphthalate	Butylbenzylphthalate	Bis-(2-ethylhexyl) phthalate
Location 1 (Surface)	00358-0001	September 25, 2008	U	411 J	118 J
Location 2 (Surface)	00358-0002	September 25, 2008	U	U	U
Location 3 (Surface)	00358-0003	September 25, 2008	U	449 J	148 J
Location 3 (6" to 12")	00358-0004	September 25, 2008	182 J	1,370	212 J
Location 4 (Surface)	00358-0005	September 25, 2008	U	U	U
Location 4 (6" to 12")	00358-0006	September 25, 2008	U	U	U
Location 5 (Surface)	00358-0007	September 25, 2008	167 J	U	U
Location 6 (Surface)	00358-0008	September 25, 2008	U	162 J	463
Location 7 (Surface)	00358-0009	September 25, 2008	U	179 J	204 J

J denotes value is estimated.

U denotes not detected.

Table 2 Pesticide/Polychlorinated Biphenyls Results - Soil Samples Public Works Site Guanica, PR

All Concentrations in micrograms/kilogram, dry weight

DRAFT PRELIMINARY DATA

Sample	Sample	Sample					
Location	Number	Date	p,p'-D D E	Dieldrin	p,p'-D D D	p,p'-D D T	Aroclor 1260
Location 1 (Surface)	00358-0001	September 25, 2008	U	U	U	UJ	26.0 J
Location 2 (Surface)	00358-0002	September 25, 2008	4.93	U	U	6.32 J	42.6 J
Location 3 (Surface)	00358-0003	September 25, 2008	1.66 J	U	U	4.34 J	70.4
Location 3 (6" to 12")	00358-0004	September 25, 2008	12.9	U	2.63 J	29.8 J	99.6
Location 4 (Surface)	00358-0005	September 25, 2008	3.17 J	4.72	U	8.99 J	79.7
Location 4 (6" to 12")	00358-0006	September 25, 2008	2.76 J	10.4	2.01 J	6.69 J	54.0
Location 5 (Surface)	00358-0007	September 25, 2008	4.21 J	U	U	UJ	133
Location 6 (Surface)	00358-0008	September 25, 2008	18.4	U	U	15.2	84.1
Location 7 (Surface)	00358-0009	September 25, 2008	25.0	1.79 J	2.43 J	8.83 J	52.0

J denotes value is estimated.

U denotes not detected.

UJ denotes not detected and reporting limit is estimated.

Table 3 Volatiles Results - Soil Samples Public Works Site Guanica, PR

All Concentrations in micrograms/kilogram, dry weight

Sample	Sample	Sample	
Location	Number	Date	Acetone
Location 1 (Surface)	00358-0001	September 25, 2008	28.1 J
Location 2 (Surface)	00358-0002	September 25, 2008	U
Location 3 (Surface)	00358-0003	September 25, 2008	13.4 J
Location 3 (6" to 12")	00358-0004	September 25, 2008	U
Location 4 (Surface)	00358-0005	September 25, 2008	U
Location 4 (6" to 12")	00358-0006	September 25, 2008	U
Location 5 (Surface)	00358-0007	September 25, 2008	15.8 J
Location 6 (Surface)	00358-0008	September 25, 2008	U
Location 7 (Surface)	00358-0009	September 25, 2008	U

J denotes value is estimated.

U denotes not detected.

Table 4 TAL Metals Results - Soil Samples Public Works Site Guanica, PR

All Concentrations in milligrams/kilogram, dry weight

Sample Location	Location 1 (Surface)	Location 2 (Surface)	Location 3 (Surface)	Location 3 (6" to 12")	Location 4 (Surface)	Location 4 (6" to 12")	Location 5 (Surface)	Location 6 (Surface)	Location 7 (Surface)
Sample Number	00358-0001	00358-0002	00358-0003	00358-0004	00358-0005	00358-0006	00358-0007	00358-0008	00358-0009
Percent Solids	71	77	74	77	71	86	73	80	82
Aluminum	11,400	12,500	10,700	12,100	10,800	8,330	10,500	13,000	14,900
Arsenic	6.96	3.42	3.20	4.49	3.41	2.78	2.99	3.14	3.57
Barium	97.9 J+	57.3 J+	65.4 J+	89.1 J+	65.9 J+	80.8 J+	47.9 J+	59.7 J+	74.1 J+
Berylium	0.278	U	U	U	U	U	U	U	U
Cadmium	U	0.558	0.497	1.09	0.569	0.325	0.396	0.458	0.602
Calcium	49,000	83,500	58,900	87,300	89,500	117,000	65,500	67,600	82,400
Chromium	527	547	661	548	557	298	727	563	527
Cobalt	42.9	39.6	47.7	49.0	57.0	26.9	58.5	47.1	45.8
Copper	37.8	45.1	31.7	36.4	31.6	25.9	30.4	34.5	40.4
Iron	41,700	36,100	41,700	52,900	39,400	27,200	41,900	40,700	39,000
Lead	13.1 J+	26.8 J+	36.8 J+	243 J+	30.4 J+	10.3 J+	19.7 J+	53.2 J+	28.9 J+
Magnesium	82,800	69,300	84,400	83,200	94,700	53,300	103,000	89,200	67,600
Manganese	879	571	591	654	647	540	635	603	609
Mercury	0.0656	0.0567	0.0452	0.119	0.0795	0.0359	0.0489	0.121	0.153
Nickel	759	663	842	829	937	447	1,060	788	707 J
Potassium	839 J	1,240 J	1,030 J	891 J	743 J	587 J	800 J	1,190 J	1,240 J
Silver	U	U	U	U	U	U	0.580	J	U
Sodium	167	187	172	205	195	176	165	226	160
Thallium	2.06	U	1.79	2.09	U	U	U	1.50	U
Vanadium	66.5 J-	65.0 J-	57.8 J-	60.3 J-	60.6 J-	63.4 J-	61.4 J-	64.3 J-	74.3 J-
Zinc	86.1 J+	126 J+	153 J+	208 J+	126 J+	72.0 J+	80.3 J+	122 J+	114 J+

J denotes value is estimated.


J+ denotes value is estimated high.

J- denotes value is estimated low.
U denotes not detected.




100 200 300 400


Geophysical Investigation Areas




Strong Metallic Response

Weak Metallic Response







APPENDIX A
Photodocumentation
Public Works Site
Guanica, Puerto Rico
November 2008



FIGURE 1. Looking south-west from north-east corner of Area 1.



FIGURE 2. Looking south at eastern portion of Area 2.



FIGURE 3. Looking south at central portion of Area 2.



FIGURE 4. Looking south at western portion of Area 2.



FIGURE 5. Northern boundary of Area 2.



FIGURE 6. Looking west across Target Area 1. Pin flags for sample locations 2 through 5 can be seen in photograph with location 5 in the foreground and 2 in the background.



FIGURE 7. Sample Location 4.



FIGURE 8. Sample Location 1.



FIGURE 9. Collecting EM-61 data in the western portion of Area 2.



FIGURE 10. Collecting Ground Penetrating Radar data in Area 2.

APPENDIX B
Final Analytical Report
Public Works Site
Guanica, Puerto Rico
November 2008

ANALYTICAL REPORT

Prepared by LOCKHEED MARTIN

Public Works Site Guancia, Puerto Rico

October 2008

EPA Work Assignment No. 0-358 LOCKHEED MARTIN Work Order No. EAC00358 EPA Contract No. EP-C-04-032

> Submitted to P. Campagna **EPA-ERT**

Program Manager

D. Miller

Analytical Section Leader

Quality Assurance Officer

Analysis by: REAC

Prepared by: Y. Mehra

Reviewed by:

J. Soroka

Table of Contents

Topic

Introduction
Case Narrative
Summary of Abbreviations

Section I

Results of the Analysis for VOC in Soil	Table 1.1
Results of the TICs for VOC in Soil	Table 1.2
	Table 1.3
Results of the Analysis for SVOC in Soil	Table 1.4
Results of the TICs for SVOC in Soil	Table 1.5
Results of the Analysis for Pesticide/PCB in Soil	- *
Results of the Analysis for Metals in Soil	Table 1.6

Section II

Results of the MS/MSD Analysis for VOC in Soil	Table 2.1
	Table 2.2
Results of the LCS Analysis for VOC in Soil	Table 2.3
Results of the MS/MSD Analysis for SVOC in Soil	
Results of the LCS Analysis for SVOC in Soil	Table 2.4
Results of the MS/MSD Analysis for Pesticide/PCB in Soil	Table 2.5
Results of the Mid/Mid/ Aliatysis for restroided OF in Soft	Table 2.6
Results of the LCS Analysis for Pesticide/PCB in Soil	
Results of the MS/MSD Analysis for Metals in Soil	Table 2.7
Results of the LCS Analysis for Metals in Soil	Table 2.8
VENUITY OF THE LOOP A HIGH AND YOU TAXABLE IN DAY	

Section III

Chains of Custody

Appendices

Appendix A Appendix B	Data for VOC in Soil Data for SVOC in Soil	T 300 T 301
	Data for Metals in Soil Data for Pesticide/PCB in Soil	T 302 T 306

Appendices will be furnished upon request.

Introduction

REAC, in response to WA #0-358, provided analytical support for environmental samples collected from the Public Works Site, located in Guancia, Puerto Rico as described in the following table. The support also included QA/QC, data review and preparation of an analytical report containing the analytical and the QA/QC results.

The samples were treated with procedures consistent with those described in REAC SOP #1008.

COC#	Number of Samples	Sampling Date	Date Received	Matrix	Analysis/ Method	Laboratory	Data Package
00358- 09/25/0 8-	9	09/25/08	09/26/08	Soil	VOC/REAC SOP 1807	REAC ¹	Т 300
0001	9				SVOC/REAC SOP 1805		Т 301
	9				Pesticide/PCB /REAC SOP 1801/1809		Т 306
	9				TAL Metals/REAC SOP 1811/1832		T 302

REAC is NELAC certified for VOC, SVOC, Pesticide/PCB and Metals Analysis.

Case Narrative

The data contained in this report have been validated to three significant figures. Any other interpretation of the data is the responsibility of the user.

VOC in Soil Package T 300

The internal standard chlorobenzene-d₅ area was below the QC limits for samples 00358-0002 and 00358-0008 on the initial and rerun analyses possibly due to matrix effects. The results for 4-methyl-2-pentanone, toluene, 2-hexanone, tetrachloroethene, chlorobenzene, 1,1,1,2-tetrachloroethane, ethylbenzene, p & m-xylene, o-xylene, styrene, isopropylbenzene, 1,1,2,2-tetrachloroethane, 1,2,3-trichloropropane, n-propylbenzene, bromobenzene, 1,3,5-trimethylbenzene, 2-chlorotoluene, 4-chlorotoluene, tert-butylbenzene, 1,2,4-trimethylbenzene, sec-butylbenzene, p-isoproyltoluene, 1,3-dichlorobenzene, 1,4-dichlorobenzene, n-butylbenzene, 1,2-dichlorobenzene, 1,2-dibromo-3-chloropropane, 1,2,4-trichlorobenzene, hexachlorobutadiene, naphthalene and 1,2,3-trichlorobenzene are qualified unusable (R) for the samples.

The dichlorodifluoromethane percent recovery was below and acetone was above the QC criteria for LCS BS 093008-1. The dichlorodifluoromethane results for samples 00358-0001 through -0009 are qualified estimated (UJ).

SVOC in Soil Package T 301

The pentachlorophenol percent recovery was below the QC criteria for LCS BS-50. The results for this compound are qualified estimated (UJ) for samples 00358-0001 through 00358-0009.

Metals in Soil Package T 302

Lead and nickel did not meet the %RPD criterion of the MS/MSD analysis of sample 00358-0009. Lead and nickel are qualified estimated (J) for sample 00358-0009.

Potassium and zinc did not meet the %D criterion for the serial dilution analysis of sample 00358-0009. Potassium and zinc are qualified estimated (J) for samples 00358-0001 through -0009.

Barium, lead, vanadium and zinc failed the % recovery criteria for the MS/MSD of sample 00358-0009. Barium, lead and zinc are qualified as estimated high (J+) and vanadium is qualified as estimated low (J-) for samples 00358-0001 through -0009.

Pesticides\PCBs in Soil Package T 306

For the continuing calibration check on 10/2/08, p,p'-DDD exceeded the percent difference criterion. For the end of sequence calibration check on 10/2/08, p,p'-DDD and p,p'-DDT exceeded the percent difference criteria on both columns. The p,p'-DDD results for samples 00358-0004, 00358-0006 and 00358-0009 and the p,p'-DDT results for samples 00358-0001 and 00358-0007 are qualified estimated (J).

For the end of sequence calibration check on 10/3/08, p,p'-DDT exceeded the percent difference criterion on both columns. The p,p'-DDT results for samples 00358-0002 through -0006 and 00358-0009 are qualified estimated (J).

The RPD for p,p'-DDD between the two column concentrations exceeded the QC limits for samples 00358-0006 and 00358-0009. The higher results from the second column are reported and qualified estimated (J) for these samples.

Summary of Abbreviations

				Summary of A	KDDI CVIALI	ЮДЗ		
BFB		Bromo	fluorobe	nzene				
C		Centigr		31120110				
CLP				atory Program				
COC		Contract Laboratory Program Chain of Custody						
		concen		u,		4		
conc		continu						
cont				red Detection Lir	nit			
CRDL				red Quantitation				
CRQL		Contrac	ot Kequi	le) value is from	a dibitad s	ample and was n	ot calcula	ted
D		(Surrog	ale Tau	le) value is itolii	a unuicu s na (DCDE	Manupic and was in	ot calcula noted	iou
Dioxin	l			d dibenzo-p-dioxi	IIS (FCDL) and Polychion	nacca	
~ ~~~				(PCDF)				•
DFTPI				henylphosphine	noontrotio			
EMPC				imum possible co				
GC/M	S			graphy/ Mass Spe	ctrometry			
IS			I Standa					
LCS				ntrol Sample	Linata			
LCSD				ntrol Sample Dup	ncate			
MDA	~ \			ctable Activity				
MS (B		Matrix	Spike (Blank Spike)	Sandilara Dana	lineta)		
MSD ((BSD)	Matrix	Spike L	ouplicate (Blank S	эріке рир	ncate)		
MW			ılar Wei					
NA				or Not Available solute Difference				
NAD			lizea At lculated		,			
NC								
NR.				Not Reported				
NS		Not Sp	ikea : Differe					
% D	٠							
% RE(_		Recove	ating Procedure				
SOP				n by volume				
ppbv			er millio					
ppm				n by volume				
pptv				titation Limit				
PQL QA/Q0	٠.			nce/Quality Cont	rol			
	J		ation Li		(01			
QL REAC				neering and Anal	vtical Con	tract		
RLAC			ng Lim		, 0.00.			
RPD				nt Difference				
RSD				ard Deviation				
SIM				onitoring				
Sur		Surroga						
TIC				ntified Compoun	d			
TCLP				cteristic Leaching		'e		
VOC					,			
*		Volatile Organic Compound Value exceeds the acceptable QC limits.						
			·					
m^3	cubic me	eter	g	gram	kg	kilogram	L	liter
μg	microgra	1999						
ng	nanograi							
***5	1100.00							
				Data Valida	tion Flags			
J	Value is	estimate	ed		R	Value is unusa	ble	
J J+				(metals only)	Û	Not detected		
J-				metals only)	ŬJ	Not detected a	nd RL is e	estimated
_	Value 15							
17. ^/	10 E 10 0							

Rev. 02/05/08

Table 1.1 Results of the Analysis for VOC in Soil WA # 0-358 Public Works Site Results Based on Dry Weight

Page 1 of 3
Method: REAC SOP 1807

Sample Number	Soil Blank	B 093008-2		3-0001 1		3-0002 2		3-0003 3		I-0004 3
Sample Location:				face		face		face	Subs	urfac e
Sub Location Percent Solids	10	00		71		7		4	7	7
-elcett dollas	.,	,,,	-	· -						
	Result	RL	Result	RL	Result	RL.	Result	RL	Result µg/kg	RL ug/ko
Analyte	μg/kg	μg/kg	µg/kg	µg/kg	µg/kg	μg/kg	µg/kg	µg/kg	pg/kg	рукс
Dichlorodifluoromethane	U	5.00	-	J 7.04	_	J 6.49	-	J 6.76	_	J 6.49
Chloromethane	U	5.00	U	7.04	U	6.49	Ü	6.76	Ü	6.49
/inyl Chloride	υ	5.00	Ų	7.04	บ	6.49	Ų	6.76	Ü	6.49
Bromomethane	U	5,00	U	7.04	U	6.49	Ü	6.76	U	6.49 6.49
Chloroethane	U	5.00	U	7.04	IJ	6.49	Ü	6.76	Ü	6.49
Frichlorofluoromethane	U	5.00	U	7.04	บ	6.49	10 A	6.76 J 27.0	Ü	26.0
Acetone	U	20.0		J 28.2	n	26.0 6.49	13.4 U	5 27.0 6.76	Ü	6.49
,1-Dichloroethene	U	5.00	U	7.04 7.04	U	6.49	Ü	6.76	Ŭ	6.49
Methylene Chloride	U	5.00	_	7.04	Ü	6.49	Ü	6.76	Ü	6.49
Carbon Disulfide	Ų	5.00	U		Ŭ	6.49	Ü	6.76	ŭ	6.49
Methyl tert-Butyl Ether	Ų	5.00	Ü	7.04 7.04	Ü	6.49	Ü	6.76	ŭ	6.49
rans-1,2-Dichloroethene	Ų	5.00	IJ	7.04	Ü	6.49	Ü	6.76	ŭ	6.49
1,1 Dichloroethane	U	5.00 5.00	Ü	7.04	Ü	6.49	ŭ	6.76	ŭ	6.49
2-Butanone	Ü	5.00	ű	7.04	Ü	6.49	ŭ	6.76	ŭ	6.49
2,2-Dichloropropane	U		Ü	7.04	Ü	6.49	ŭ	6.76	ŭ	6.49
cis-1,2-Dichloroethene Chloroform	U	5.00 5.00	Ü	7.04	Ü	6.49	ŭ	6.76	ŭ	6.49
	Ü	5.00	ŭ	7.04	ŭ	6.49	ŭ	6.76	ũ	6.49
l,1-Dichloropropene l,2-Dichloroethane	Ŭ	5.00	ŭ	7.04	ŭ	6.49	ŭ	6.76	ŭ	6.49
1,2-Dichloroethane	Ü	5.00	ŭ	7.04	ŭ	6.49	ŭ	6.76	Ŭ	6.49
Carbon Tetrachloride	ŭ	5.00	ŭ	7.04	Ū	6.49	ŭ	6.76	U	6.49
Benzene	Ü	5.00	ŭ	7.04	ŭ	6.49	ŭ	6.76	U	6.49
Frichloroethene	Ü	5.00	Ū	7.04	Ū	6.49	Ú	6.76	Ų	6.49
.2-Dichloropropane	Ü	5.00	ŭ	7.04	Ū	6.49	ū	6.76	U	6.49
romodichloromethane	ŭ	5.00	Ū	7.04	Ū	6.49	ŭ	6.76	Ų	6.49
Dibromomethane	ŭ	5.00	Ū	7.04	Ū	6.49	Ú	6.76	U	6.49
is-1,3-Dichloropropene	ŭ	20.0	Ū	28.2	U	26.0	U	27.0	U	26.0
rans-1,3-Dichloropropeле	Ū	5.00	U	7.04	U	6.49	υ	6.76	υ	6.49
1,1,2-Trichioroethane	Ū	5.00	U	7.04	U	6.49	U	6.76	U	6.49
,3-Dichloropropane	Ū	5.00	U	7.04	U	6.49	U	6.76	U	6.49
Dibromochloromethane	U	5.00	Ų	7.04	Ų	6.49	U	6.76	U	6.49
,2-Dibromoethane	U	5.00	U	7.04	U	6.49	U	6.76	U	6.49
Bromoform	U	5.00	U	7.04	υ	6.49	U	6.76	U	6.49
I-Methyl-2-Pentanone	U	20.0	U	28.2	R		U	27.0	U	26.0
Toluene	U	5.00	U	7.04	R		U	6.76	U	6.49
?-Hexanone	U	20.0	U	28.2	R		U	27.0	U	26.0
Tetrachloroethene	U	5.00	Ü	7.04	R		U	6.76	U	6.49
Chlorobenzene	U	5.00	IJ	7.04	R		U	6.76	U	6.49
,1,1,2-Tetrachloroethane	U	5.00	U	7.04	R		U	6.76	Ü	6.49
Ethylbenzene	U	5.00	U	7.04	R		U	6.76	Ü	6.49
&m-Xylene	U	10.0	U	14.1	R		U	13.5	U	13.0
-Xylene	U	20.0	U	28.2	R		U	27.0	U	26.0
Styrene	υ	5,00	U	7.04	R		U	6.76	U	6.49
sopropylbenzene	U	20.0	U	28.2	R		U	27.0	U	26.0 6.49
,1,2,2-Tetrachloroethane	U	5.00	U	7.04	R		Ü	6.76	U U	6.49
,2,3-Trichloropropane	U	5.00	U	7.04	Ŕ		U	6.76	Ü	6.49
-Propylbenzene	U	5.00	Ü	7.04	R		Ų	6.76		
romobenzene	Ų	5.00	U	7.04	R		Ü	6.76	U.	6.49 6.49
,3,5-Trimethylbenzene	Ų	5.00	U	7.04	R		U	6.76	ŭ	6.49
-Chlorotoluene	U	5.00	Ü	7.04	R		Ü	6.76	Ü	6.49
-Chlorotoluene	U	5.00	Ü	7.04	R		U	6.76	Ü	26.0
ert-Butylbenzene	U	20.0	U	28.2	R		U	27.0	Ü	6.49
,2,4-Trimethylbenzene	Ų	5.00	U	7.04	R		U	6.76 27.0	Ü	26.0
ec-Butylbenzene	U	20.0	Ü	28.2	R		U	27.0 27.0	U	26.0
-Isopropyltoluene	Ü	20.0	U	28.2	R		Ü	6.76	Ü	6.49
,3-Dichlorobenzene	Ų	5.00	Ų	7.04	R		_		Ü	6.49
,4-Dichlorobenzene	Ŭ	5.00	U	7.04	R		U	6.76	U	26.0
-Butylbenzene	IJ	20.0	U	28.2	R		U	27.0		6.49
,2-Dichlorobenzene	Ų	5.00	Ü	7.04	R		U	6.76	U	
,2-Dibromo-3-Chloropropane	U	5.00	Ü	7.04	R		U	6.76	Ü	6.49 6.49
,2,4-Trichlorobenzene	U	5.00	U	7.04	R		U	6.76	U	
fexachlorobutadiene	U	5.00	U	7.04	Ŕ		Ŭ	6.76	U	6.49 26.0
laphthalene	U	20.0	U	28.2	R		Ü	27.0	U	
,2,3-Trichlorobenzene	U	5.00	U	7.04	R		U	6.76	U	6,49

Table 1.1 (cont) Results of the Analysis for VOC in Soil WA # 0-358 Public Works Site Results Based on Dry Weight

Page 2 of 3

Sample Number	Soil Blank	B 093008-2		3-0005		3-0006		8-0008 6	
Sample Location:		•		4 face		4 urface		o rface	
Sub Location Percent Solids	1	00		14C e 71		36		30	
Leicetti oolida							C#	D)	
Analyte	Result µg/kg	RL µg/kg	Resuit µg/kg	RL µg/kg	Result µg/kg	RL ug/kg	Result µg/kg	RL µg/kg	
Dichlorodifluoromethane	U	5.00	u.	J 7.04	U	J 5.81	U	J 6.25	
Chloromethane	ŭ	5.00	Ŭ	7.04	Ũ	5.81	U	6.25	
Vinyl Chloride	U	5.00	U	7.04	U	5.81	U	6.25	
Bromomethane	U	5.00	U	7.04	U	5.81	u	6.25	
Chloroethan e	U	5.00	U	7.04	U	5.81	Ü	6.25	
Trichlorofluoromethane	Ų	5.00	Ü	7.04	Ų	5.81 23.3	U	6.25 25.0	
Acetone	U	20.0	U	28.2 7.04	U U	23.3 5.81	Ü	6.25	
1,1-Dichloroethene	U	5.00 5.00	Ü	7.04	Ü	5.81	ŭ	6.25	
Methylene Chloride Carbon Disulfide	Ŭ	5.00	Ü	7.04	ŭ	5.81	ũ	6.25	
Methyl tert-Butyl Ether	Ŭ	5.00	ŭ	7.04	ŭ	5.81	Ū	6.25	
trans-1,2-Dichloroethene	Ū	5.00	Ũ	7.04	U	5.81	U	6.25	
1.1 Dichloroethane	ū	5.00	U	7.04	U	5.81	U	6.25	
2-Butanone	Ū	5.00	Ū	7.04	U	5.81	U	6.25	
2,2-Dichloropropane	U	5.00	U	7.04	Ū	5.81	U	6.25	
cis-1,2-Dichloroethene	U	5.00	U	7.04	U	5.81	U	6.25	
Chloroform	U	5.00	U	7.04	U	5.81	U	6.25	
1,1-Dichloropropene	U	5.00	U	7.04	U	5.81	U	6,25	
1,2-Dichloroethane	U	5.00	U	7.04	U	5.81	U	6.25 6.25	
1,1,1-Trichloroethane	U	5.00	U	7.04	U	5.81 5.81	Ü	6.25	
Carbon Tetrachloride	U U	5,00 5.00	Ų	7.04 7.04	U	5.81	Ü	6.25	
Benzene Trieblassethans	Ü	5.00	Ü	7.04	Ü	5.81	Ŭ	6.25	
Trichloroethene 1,2-Dichloropropane	Ü	5.00	Ü	7.04	ŭ	5.81	ŭ	6.25	
Bromodichloromethane	Ü	5.00	ű	7.04	Ū	5.81	Ü	6.25	
Dibromomethane	Ū	5.00	Ũ	7.04	U	5.81	U	6.25	
cis-1,3-Dichloropropene	U	20.0	U	28.2	U	23.3	υ	25.0	
trans-1,3-Dichloropropene	U	5.00	υ	7.04	U	5.81	U	6.25	
1,1,2-Trichloroethane	U	5.00	U	7.04	U	5.81	U	6.25	
1,3-Dichloropropane	υ	5.00	U	7.04	U	5.81	U	6.25	
Dibromochloromethane	U	5.00	U	7.04	U	5.81	U Ü	6.25 6.25	
1,2-Dibromoethane	Ü	5.00	Ų	7.04	U	5.81 5.81	Ü	6.25	
Bromoform	U	5.00 20.0	U	7.04 28.2	Ü	23.3	Ř	0,20	
4-Methyl-2-Pentanone	Ü	5.00	Ü	7.04	Ü	5.81	R		
Toluene 2-Hexanone	Ŭ	20.0	ŭ	28.2	Ü	23.3	R		
Tetrachioroethene	ŭ	5.00	Ū	7.04	U	5.81	R		
Chlorobenzene	Ū	5.00	U	7.04	U	5.81	R		
1,1,1,2-Tetrachloroethane	U	5.00	U	7.04	U	5.81	R		
Ethylbenzene	U	5.00	U	7.04	U	5.81	R		
p&m-Xylene	U	10.0	U	14.1	U	11.6	R		
o-Xylene	U	20.0	U	28.2	Ų	23.3	R R		
Styrene	U	5.00	U	7.04 28.2	U	5.81 23.3	Ŕ		
Isopropylbenzene	U U	20.0 5.00	U U	7.04	Ü	5.81	R		
1,1,2,2-Tetrachioroethane	υ	5.00	Ü	7.04	Ŭ	5.81	R		
1,2,3-Trichloropropane n-Propylbenzene	Ü	5.00	Ü	7.04	Ũ	5.81	R		
Bromobenzene	ŭ	5.00	ŭ	7.04	ŭ	5.81	Ŕ		
1,3,5-Trimethylbenzene	Ū	5.00	Ū	7.04	IJ	5.81	R		
2-Chlorotoluene	Ū	5.00	U	7.04	U	5.81	R		
4-Chlorotoluene	U	5.00	U	7.04	U	5.81	R		
tert-Butylbenzene	U	20.0	U	28.2	U	23.3	R		
1,2,4-Trimethylbenzene	U	5.00	U	7.04	U	5.81	Ŗ		
sec-Butylbenzene	U	20.0	Ü	28.2	Ü	23.3	R		
p-Isopropyltoluene	U	20.0	U	28.2	U	23.3 5.81	R R		
1,3-Dichlorobenzene	U	5.00	U	7.04 7.04	U	5.81	R		
1,4-Dichlorobenzene	U U	5.00 20.0	U	7.04 28.2	U	23.3	R		
n-Butylbenzene	Ü	5.00	Ú	7.04	Ü	5.81	R		
1,2-Dichlorobenzene 1,2-Dibromo-3-Chloropropane	Ü	5.00	Ü	7.04	ŭ	5.81	Ŕ		
1,2-Dibromo-3-Chloropropane 1,2,4-Trichlorobenzene	Ü	5.00	Ü	7.04	ŭ	5.81	Ŕ		
Hexachlorobutadiene	Ü	5.00	Ű	7.04	Ŭ	5.81	R		
Naphthalene	Ü	20.0	Ü	28.2	ŭ	23.3	Ŕ		
1,2,3-Trichlorobenzene	Ü	5.00	ŭ	7.04	Ū	5.81	R		

Table 1.1 (cont) Results of the Analysis for VOC in Soil WA # 0-358 Public Works Site Results Based on Dry Weight

Page 3 of 3

Method: REAC SOP 1807

00358-0009 00358-0007 Soil Blank B 100108-2 Sample Number 5 Sample Location: Surface Surface Sub Location 73 100 Percent Solids RLResult RLResult RL. Result ug/kg μg/kg μg/kg μg/kg Analyte µg/kg µg/kg 6.10 6.85 5.00 U Dichlorodifluoromethane U 6.85 6.10 U 5.00 Chloromethane 6.85 Ū 6.10 Vinyl Chloride 5,00 U 6.85 U 6.10 Bromomethane U 5.00 U 6.85 U Chloroethane U 5.00 6.10 Ú 6.85 U 6.10 Trichlorofluoromethane 5.00 15.8 27.4 U U 24.4 20.0 Acetone U U 6.85 U 6.10 1,1-Dichloroethene 5.00 U 6.85 H U 5.00 6.10 Methylene Chloride U 6,85 U U 5.00 6.10 Carbon Disulfide U U 6.85 U 5.00 6.10 Methyl tert-Butyl Ether U 6.85 trans-1,2-Dichloroethene U 5.00 u 6.10 Ū 6.85 1,1 Dichloroethane U 5.00 U 6.10 Ú 6.85 U 5.00 U 6.10 2-Butanone Ŭ 6.85 2,2-Dichloropropane U 5.00 U 6.10 Ū 6.85 Ų 5.00 U 6.10 cis-1,2-Dichloroethene Ŭ 6.85 U 5.00 U 6.10 Chloroform Ü 6.85 Ų 5.00 U 6.10 1.1-Dichloropropene 6.85 U 5.00 U 6.10 1.2-Dichloroethane 6.85 5.00 U 6.10 U 1,1,1-Trichloroethane 6.85 U 5.00 U 6.10 Carbon Tetrachloride UUU 6.85 5.00 U 6.10 Benzene U 5.00 U 6.10 6.85 Trich!oroethene 6.85 5.00 U 6.10 1,2-Dichloropropane 6.85 U 5.00 υ 6.10 Bromodichloromethane 6.85 5.00 U 6.10 U Dibromomethane 20.0 U 24.4 27.4 cis-1,3-Dichloropropene U 6,10 U 6.85 5.00 trans-1.3-Dichloropropene 5.00 U 6.10 U 6.85 1,1,2-Trichloroethane U 5,00 6.10 U 6,85 1,3-Dichloropropane U 5.00 U 6.10 U 6.85 Dibromochloromethane 6.10 U 6.85 5.00 1.2-Dibromoethane U 6.10 U 6.85 5.00 Bromoform Ū 24.4 U 27.4 20.0 4-Methyl-2-Pentanone Ü U 6.10 U 6.85 5.00 Toluene 24.4 U 27.4 20.0 2-Hexanone Ū U 6.10 U 6.85 5.00 Tetrachloroethene Ŭ 6.10 U 6.85 5.00 Chlorobenzene U 5.00 U 6.10 U 6.85 1,1,1,2-Tetrachloroethane U 6.10 U 6.85 5.00 Ethylbenzene 12.2 U 13.7 U 10.0 p&m-Xylene U 27.4 U 20.0 24.4 o-Xylene ũ U 6.85 Ū 6.10 5.00 Styrene ũ U 27.4 24.4 Isopropylbenzene 20.0 6.85 6.10 1,1,2,2-Tetrachloroethane U 5.00 Ū Ų 6.10 6.85 1,2,3-Trichloropropane 5.00 Ū u 6.10 U 6.85 5.00 n-Propylbenzene Ū U 6.85 6.10 U Bromobenzene 5.00 U U 6.10 6.85 U 5.00 1,3,5-Trimethylbenzene U U 6.85 6.10 U 2-Chlorotoluene 5.00 Ú U 6.85 U 6.10 4-Chlorotoluene 5.00 Ū Ū 27.4 24.4 tert-Butylbenzene U 20.0 U 6.85 U 5.00 U 6.10 1,2,4-Trimethylbenzene ū 27.4 U 24.4 sec-Butylbenzene 20.0 U 24.4 U 27.4 U p-Isopropyltoluene 20.0 Ū 6.10 U 6.85 U 5.00 1,3-Dichlorobenzene U 6.85 U 6.10 1,4-Dichlorobenzene U 5.00 U 27.4 IJ 24.4 U 20.0 n-Butylbenzene U 6.85 U 1,2-Dichlorobenzene υ 5.00 6.10 Ü 6.85 1,2-Dibromo-3-Chloropropane U 5,00 П 6.10 5.00 U 6.10 U 6.85 1,2,4-Trichlorobenzene 5.00 บ 6.10 U 6.85 Hexachlorobutadiene 20.0 24.4 u 27.4 Naphthalene

6.10

6.85

5.00

1,2,3-Trichlorobenzene

Table 1.2 Results of the TICs for VOC in Soil WA # 0-358 Public Works Site

Sample Number	Analyte	Concentration*, µg/kg
Soil Blank B 093008-2	No TICs Detected	
00358-0001	No TICs Detected	
00358-0004	No TICs Detected	
00358-0005	No TICs Detected	
00358-0006	No TICs Detected	
00358-0008	No TICs Detected	
Soil Blank B 100108-2	No TICs Detected	
00358-0009	No TICs Detected	
00358-0007	No TICs Detected	
00358-0002	Unknown	11.4
00358-0003	Unknown	17.5

^{*} Estimated Concentration

Table 1.3 Result of the Analysis for SVOC in Soil WA # 0-358, Public Works Site Results Based on Dry Weight

Sample Number	Soil Blan	k 092908	0035	3-0008	00358	3-0001		3-0002		9-0003
Sample Location:				6	1			2 fano		3 face
Sub Location				face IO	Sun 7	face 1		face '7		14 74
Percent Solids	- 10) 0	•	, ,	,	•				
	Result µg/kg	RL µg/kg	Result µg/kg	RL µg/kg	Result µg/kg	<i>RL</i> µg/kg	Result µg/kg	RL µg/kg	Result µg/kg	RL µg/kg
nalyte	дунд	ругод								450
henol	Ų	333	Ų	417	IJ	469 469	U	433 433	U	450 450
is-(2-chloroethyi) ether	Ų	333 333	U	417 417	ŭ	469	ŭ	433	ŭ	450
-Chlorophenol	U	333	Ü	417	ŭ	469	ŭ	433	Ũ	450
,3-Dichlorobenzene ,4-Dichlorobenzene	ŭ	333	ŭ	417	Ū	469	U	433	U	450
3enzyl alcohol	ŭ	333	Ū	417	U	469	U	433	Ų	450
,2-Dichlorobenzene	Ü	333	U	417	U	469	Ü	433	Ų	450
-Methylphenol	υ	333	Ų	417	U	469	Ü	433 433	U	450 450
lis-(2-chloroisopropyl) ether	Ü	333	Ñ	417	U U	469 469	Ü	433	ŭ	450
-Methylphenol	Ü	333	U	417 417	Ü	469	ŭ	433	ŭ	450
I-Nitroso-di-n-propylamine	U U	333 333	Ü	417	ŭ	469	ŭ	433	Ū	450
lexachloroethane	ŭ	333	ŭ	417	ŭ	469	Ü	433	U	450
litrobenzene sophorone	ŭ	333	ΰ	417	ŭ	469	IJ	433	U	450
-Nitrophenol	บั	333	Ū	417	U	469	U	433	Ü	450
.4-Dimethylphenol	ŭ	333	U	417	U	469	Ü	433	Ü	450
Bis-(2-chloroethoxy) methane	Ū	333	U	417	Ü	469	Ų	433	Ų	450
,4-Dichlorophenol	บ	333	Ü	417	Ü	469	Ų	433	U	450 450
,2,4-Trichlorobenzene	Ų	333	Ü	417	U	469 469	ម ប	433 433	Ü	450
laphthalene	บู	333	U	417 417	Ü	469 469	Ü	433	ŭ	450
-Chloroaniline	Ų	333	Ü	417 417	Ü	469	ŭ	433	ŭ	450
lexachlorobutadiene	U U	333 333	Ü	417	ŭ	469	ŭ	433	Ŭ	450
-Chloro-3-methylphenol -Methylnaphthalene	Ü	333	Ŭ	417	ŭ	469	Ŭ	433	U	450
-Metnymaphthalene jexachlorocyclopentadiene	ŭ	333	ŭ	417	Ū	469	U	433	U	450
4,6-Trichlorophenol	ŭ	333	U	417	U	469	Ü	433	U	450
,4,5-Trichlorophenol	Ū	333	U	417	U	469	Ų	433	IJ	450
-Chloronaphthalene	U	333	U	417	Ü	469	Ų	433	U	450 450
-Nitroaniline	บ	333	ų	417	Ų	469	U	433 433	Ü	450
Dimethylphthalate	Ų	333	Ų	417	U U	469 469	Ü	433	ŭ	450
Acenaphthylene	Ņ	333	U	417 417	Ü	469	ŭ	433	ŭ	450
2,6-Dinitrotoluene	U U	333 333	ŭ	417	Ü	469	ŭ	433	Ū	450
s-Nitroaniline Acenaphthene	ŭ	333	ŭ	417	ŭ	469	U	433	U	450
2,4-Dinitrophenol	ŭ	333	ŭ	417	Ū	469	U	433	, U	450
I-Nitrophenol	ŭ	333	Ū	417	U	469	U	433	Ü	450
Dibenzofuran	U	333	U	417	U	469	Ü	433	Ü	450
,4-Dinitrotoluene	U	333	Ų	417	U	469	U	433	U	450 450
Diethylphthalate	U	3 33	Ü	417	U	469	U	433 433	Ü	450
-Chlorophenyl-phenylether	ü	333	Ü	417 417	Ü	469 469	Ü	433	Ü	450
luorene	U	333 333	Ü	417	Ü	469	ŭ	433	ŭ	450
l-Nitroaniline	Ü	333	Ŭ	417	ŭ	469	Ü	433	Ü	450
,6-Dinitro-2-methylphenol I-Nitrosodiphenylamine	ŭ	333	ŭ	417	Ū	469	Ū	433	U	450
I-Bromophenyl-phenylether	ŭ	333	ŭ	417	U	469	U	433	U	450
exachiorobenzene	ŭ	333	Ū	417	U	469	Ü	433	U	450
Pentachlorophenol	Ū	333	-	J 417	Ü,	J 469	U.	J 433	Ų.	J 450
henanthrene	U	333	U	417	Ü	469	U	433	U	450 450
nthracene	U	333	Ü	417	Ų	469 460	U U	433 433	Ü	450
arbazole	บู	333	Ų	417	U	469 469	Ü	433	Ü	450
i-n-butylphthalate	U	333 333	U	417 417	Ü	469	ŭ	433	ŭ	450
luoranthene	U	333	Ü	417	ŭ	469	ŭ	433	ŭ	450
yrene utylbenzylphthalate	Ü	333		J 417		1 469	Ŭ	433	449	J 450
utylpenzylphthalate enzo(a)anthracene	ŭ	333	Ü	417	Ü	469	U	433	U	450
,3'-Dichlorobenzidine	ŭ	333	Ũ	417	U	469	U	433	U	450
hrysene	ŭ	333	U	417	U	469	U	433	U	450
is-(2-ethylhexyl) phthalate	ŭ	333	463	417	118		Ü	433		J 450
i-n-octylphthalate	Ū	333	U	417.	Ü	469	Ü	433	U	450
enzo(b)fluoranthene	U	333	U	417	Ü	469	U	433	U U	450 450
enzo(k)fluoranthene	Ü	333	Ü	417	U	469 469	U	433 433	Ŭ	450
lenzo(a)pyrene	Ų	333	Ų	417	U U	469 469	Ü	433 433	Ü	450
ndeno(1,2,3-cd)pyrene	U	333 333	U	417 417	Ü	469 469	Ü	433	Ü	450
Dibenzo(a,h)anthracene	1.1	444	1.3							450

Table 1.3 (cont) Result of the Analysis for SVOC in Soil WA # 0-358, Public Works Site Results Based on Dry Weight

Table 1.3 (cont) Result of the Analysis for SVOC in Soil WA # 0-358, Public Works Site Results Based on Dry Weight

Method: REAC SOP 1805

Sample Number		k 092908		1-0006 1	00356	3-0005 1	
Sample Location:	(post	GPC)		urface		face	
Sub Location Percent Solids	. 10	00	8		7		
-erceit oulida	,						
	Result	RL	Result	RL	Result	RL	
Analyte	µg/kg	µg/kg	µg/kg	µg/kg	µд∕кд	µg/kg	
				40.40	14	2250	
Phenol	Ü	333	Ų	1940	U	2350 2350	
3is-(2-chloroethyl) ether	U	333	Ų	1940	Ü	2350	
2-Chlorophenol	U	333	Ų	1940	Ü	2350	
1,3-Dichlorobenzene	Ü	333	U	1940 1940	ŭ	2350	
1,4-Dichlorobenzene	Ų	333	Ŭ	1940	ŭ	2350	
Benzyl alcohol	Ü	333 333	ŭ	1940	ŭ	2350	
,2-Dichlorobenzene	U U	333	ŭ	1940	Ŭ	2350	
2-Methylphenol	Ü	333	ŭ	1940	Ū	2350	
Bis-(2-chloroisopropyl) ether	ŭ	333	Ŭ	1940	Ū	2350	
4-Methylphenol	Ü	333	ŭ	1940	Ũ	2350	
N-Nitroso-di-n-propylamine	ŭ	333	ŭ	1940	Ū	2350	
Hexachloroethane Nitrobenzene	ŭ	333	ŭ	1940	U	2350	
Nitropenzene sophorone	ŭ	333	Ū	1940	U	2350	
saphorone 2-Nitrophenol	ŭ	333	υ	1940	U	2350	
z-Mili oprierioi 2,4-Dimethylphenoi	ŭ	333	U	1940	U	2350	
Bis-(2-chloroethoxy) methane	ŭ	333	Ų	1940	U	2350	
2,4-Dichlorophenol	Ŭ	333	U	1940	Ų	2350	•
1,2,4-Trichlorobenzene	Ū	333	U	1940	Ų	2350	
Naphthalene	U	333	U	1940	U	2350	
4-Chloroaniline	U	333	Ų	1940	Ü	2350	
Hexachlorobutadiene	υ	333	Ų	1940	Ü	2350	
4-Chloro-3-methylphenol	U	333	Ų	1940	Ü	2350	
2-Methylnaphthalene	Ü	333	U	1940	U U	2350 2350	
Hexachtorocyclopentadiene	Ü	333	Ü	1940	Ü	2350	
2,4,6-Trichlorophenol	Ü	333	U	1940 1940	Ü	2350	
2,4,5-Trichlorophenol	Ü	333	Ü	1940	ប័	2350	
2-Chloronaphthalene	Ų	333 333	Ü	1940	Ü	2350	
2-Nitroaniline	U	333 333	Ü	1940	ŭ	2350	
Dimethylphthalate	U	333	ŭ	1940	ŭ	2350	
Acenaphthylene	Ü	333	ŭ	1940	Ū	2350	
2,6-Dinitrotoluene	ŭ	333	ŭ	1940	Ü	2350	
3-Nitroaniline Acenaphthene	ŭ	333	Ū	1940	Ū	2350	
Acenaphinene 2,4-Dinitrophenol	ŭ	333	Ū	1940	IJ	2350	
4-Nitrophenol	ŭ	333	U	1940	U	2350	
Dibenzofuran	Ŭ	333	Ų	1940	U	2350	
2.4-Dinitrotoluene	ŭ	333	U	1940	U	2350	
Diethylphthalate	Ū	333	Ü	1940	Ü	2350	
4-Chlorophenyl-phenylether	Ũ	333	U	1940	Ü	2350	
Fluorene	U	333	Ü	1940	Ü	2350	
4-Nitroaniline	U	333	Ņ	1940	Ü	2350	
4,6-Dinitro-2-methylphenol	U	333	Ų	1940	ÿ	2350	
N-Nitrosodiphenylamine	U	333	Ü	1940	Ų	2350	
4-Bromophenyl-phenylether	U	333	Ų	1940	U U	2350 2350	
Hexachlorobenzene	Ų	333	Ü	1940		J 2350	
Pentachlorophenol	Ü	333	_	J 1940 1940	U	2350	
Phenanthrene	Ü	333	U	1940 1940	ŭ	2350	
Anthracene	Ų	333	Ü	1940	ŭ	2350	
Carbazole	Ü	333 333	Ü	1940	Ű	2350	
Di-n-butylphthalate	U	333	Ŭ	1940	ŭ	2350	
-luoranthene	Ü	333	ŭ	1940	บั	2350	
Pyrene	Ŭ	333	ŭ	1940	ŭ	2350	
Butylbenzylphthalate	Ü	333	ŭ	1940	Ū	2350	
Benzo(a)anthracene	ŭ	333	ŭ	1940	Ū	2350	
3,3'-Dichlorobenzidine Chrysene	Ŭ	333	ŭ	1940	Ū	2350	
Chrysene Bis-(2-ethylhexyl) phthalate	ŭ	333	ŭ	1940	U	2350	
Bis-(2-etnyinexyr) phithalate Di-n-octvlphthalate	ŭ	333	Ũ	1940	υ	2350	
Benzo(b)fluoranthene	ŭ	333	U	1940	U	2350	
Benzo(k)flucranthene	บั	333	υ	1940	U	2350	
Benzo(a)pyrene	Ŭ	333	U	1940	U	2350	
Indeno(1,2,3-cd)pyrene	Ū	333	U	1940	U	2350	
Dibenzo(a,h)anthracene	Ū	333	U	1940	U	2350	
	U	333	U	1940	U	2350	

Table 1.4 Results of the TICs for SVOC in Soil WA# 358, Public Works Site

Sample Number	Analyte	Concentration*, µg/kg
Soil Blank 092908 000358-0007	No TICs Detected No TICs Detected	
Soil Blank 092908 (Post GPC) 000358-0006 000358-0005	No TICs Detected No TICs Detected No TICs Detected	
00358-0008	1,4-Benzenediamine, N,N-dimethyl-	524
	Unknown	365
	Unknown	897
	Unknown	640 1050
	Unknown Unknown	395
00259 0004	C7 Alcohol	787
00358-0001	1,4-Benzenediamine, N,N-dimethyl-	494
	Organic acid	697
	Organic acid	1550
	Organic acid	508
	Unknown	530
	C21 Ketone	581
	Alkane	589
	Alkane	490
	Stigmast-4-en-3-one	2190
00358-0002	1,4-Benzenediamine, N,N-dimethyl-	522
00000	Organic acid	841
	Alkane	477
	Pyrrolidine, 1-(1-oxooctadecyl)-	1140
	Alkane	542
	Stigmast-4-en-3-one	1830
00358-0003	C12 Alcohol	1050
0000	Organic acid	2060
	Organic acid	787
	Androst-4-en-3-one, 17-hydroxy-, (17.bet	2100
00358-0004	1,4-Benzenediamine, N,N-dimethyl-	577
	Alkane	957
•	Alkane	635
	C20 Akane	597
	C21 Alkane	1470
000358-0007	1,4-Benzenediamine, N,N-dimethyl-	877
	Organic Acid	1320
	Organic Acid	846
000358-0009	Organic acid	426

Table 1.5 Results of the Analysis for Pesticide/PCB in Soil WA# 0-358 Public Works Site Results Based on Dry Weight

Page 1 of 1

Method: REAC SOP 1801&1809

Sampte Number Location Sub Location Percent Solids		093008 •	Su	8-0001 1 riace 71	Su	8-0002 2 rface 77	Su	8-0003 3 rface 74	Sub	8-0004 3 surface 77
Analyte	Conc. µg/kg	RL μg/kg	Conc. µg/kg	RL µg/kg	Conc. µg/kg	RL µg/kg	Conc. µg/kg	RL µg/kg	Conc. µg/kg	RL µg/kg
a-EHC g-BHC b-BHC d-BHC Heptachlor Aidrin Heptachlor Epoxide g-Chorodane a-Chlorodane Endosulfan (I) p,p*-D D E Dieldrin Endrin p,p*-D D D Endosulfan (II) Endrin Aidehyde p,p*-D D T Endosulfan Sulfate		3.33 3.33 3.33 3.33 3.33 3.33 3.33 3.3	ט ט ט ט ט ט ט ט ט ט ט ט ט ט ט ט ט ט ט	4.59 4.59 4.69 4.69 4.69 4.69 4.69 4.69 4.69 4.6	U	4.33 4.33 4.33 4.33 4.33 4.33 4.33 4.33	น บ บ บ 4.34 บ	4.50 4.50 4.50 4.50 4.50 4.50 4.50 4.50	U U U U U U U U U U U U U U U U U U U	4.33 4.33 4.33 4.33 4.33 4.33 4.33 4.33
Methoxychlor Endrin Ketone Toxaphene Aroclor 1016 Aroclor 1221 Aroclor 1232 Aroclor 1242 Aroclor 1248 Aroclor 1254 Aroclor 1260 Aroclor 1268	כטפטטטטטטטטטט	3.33 3.33 83.3 41.7 83.3 41.7 41.7 41.7 41.7	U U U U U 26.0	4.69 4.69 117 58.7 117 58.7 58.7 58.7 58.7 58.7	U U U U U 42.6	4.33 4.33 108 54.1 108 54.1 54.1 54.1 54.1 J 54.1 J 54.1	U U U U U 70.4 U	4.50 4.50 113 56.3 113 56.3 56.3 56.3 56.3 56.3	0 0 0 0 99.6 99.6	4.33 4.33 108 54.1 108 54.1 54.1 54.1 54.1 54.1 54.1

Table 1.5 (cont.) Results of the Analysis for Pesticide/PCB in Soil WA# 0-358 Public Works Site Based on Dry Weight

Method: REAC SOP 1801&1809

Sample Number Location Sub Location Percent Solid	Su	8-0005 4 rface 71	Sub	8-0006 4 surface 86	Su	8-0007 5 Irface 73	Sur	8-0008 6 fac e 80	Sur	8-0009 7 face 32
	Conc.	RL	Conc.	RI.	Conc. ug/kg	RL	Conc. ug/kg	RL µg/kg	Conc. µg/kg	RL ug/kg
Analyte	µg/kg	рд/кд	μg/kg	µg/kg	µд/кд	jjg/kg	ралка	на(ул	- HR/KB	Parks
a-BHC	U	4.69	U	3.88	U	4.57	υ	4.17	U	4.07
g-BHC	ŭ	4.69	U	3.88	U	4.57	U	4.17	υ	4.07
B-BHC	ŭ	4.69	Ū	3,88	U	4.57	U	4.17	U	4.07
d-BHC	ŭ	4.69	บ	3.88	U	4.57	U	4.17	υ	4,07
Heptachior	ŭ	4.69	υ	3.88	U	4.57	U	4.17	υ	4.07
Aldrin	บ	4.69	υ	3.88	U	4.57	U	4,17	U	4.07
Heptachlor Epoxide	Ū	4.69	1.43	J 3.88	U	4.57	u	4.17	υ	4.07
g-Chorodane	ŭ	4.69	Ü	3.88	U	4.57	U	4.17	U	4.07
g-Chlorodane	ม	4.69	U	3.88	U	4.57	U	4.17	U	4.07
Endosulfan (I)	ΰ	4.69	Ü	3.88	U	4.57	U	4.17	Ų	4.07
p.p'-D D E	_	J 4.69	2.76		4.21	J 4,57	18.4	4.17	25.0	4.07
p,p •0 D ≥ Dieldrin	4.72	4.69	10.4	3.88	U	4,57	U	4.17		J 4.07
Endrin	7.72	4.69	U	3.88	U	4.57	u	4.17	U	4.07
D.D'-D D D	ŭ	4.69	2.01	J 3.88	U	4.57	U	4,17		J 4,07
p.p000 Endosulfan (li)	ŭ	4.69	Ü	3.88	U	4.57	υ	4.17	Ų	4.07
Endosullan (li) Endrin Aldehyde	Ŭ	4.69	Ū	3.88	υ	4.57	U	4.17	U	4.07
p,p'-D D T	8.99		6.69		U	J 4.57	15.2	4.17		J 8.13
p,p-D D : Endosulfan Sulfate	U.U	4.69	U	3.88	Ū	4.57	υ	4.17	U	4.07
	Ü	4.69	ŭ	3.88	ũ	4.57	U	4.17	Ü	4.07
Methoxychlor Endrin Ketone	Ü	4.69	ū	3.88	Ú	4.57	U	4.17	U	4.07
	Ü	117	Ŭ	96.9	Ū	114	U	104	Ü	102
Toxaphene	Ü	58.7	ŭ	48.4	ũ	57.1	U	52.1	u	50.8
Aroclor 1016	Ü	117	ū	96.9	ũ	114	U	104	υ	102
Aroclor 1221	Ü	58.7	ŭ	48.4	ũ	57.1	υ	52.1	U	50.8
Aroclor 1232	U U	58.7	ŭ	48.4	ŭ	57.1	ũ	52.1	U	50.8
Aroclor 1242	Ü	58.7	ŭ	48.4	ŭ	57.1	. Ū	52.1	U	50.8
Arector 1248	U	58.7 58.7	Ü	48.4	ŭ	57.1	ũ	52.1	Ų	50.8
Aroclor 1254		56.7 58.7	54.0	48.4	133	57.1	84.1	52.1	52.0	50.8
Areclor 1260 Areclor 1268	79.7 U	58.7 58.7	54.0 U	48.4	U	57.1	Ü	52.1	U	50.8

Table 1.6 Results of the Analysis for Metals in Soil WA # 0-358 Public Works Site Results Based on Dry Weight

Page 1 of 1 Method REAC SOP 1811/1832 00358-0003 00358-0004 00358-0005 00358-0002 Method Blank-092908 00358-0001 Sample No. 3 Surface Lab Location Subsurface Surface Surface Surface Sub Location NA 71 Percent Solids RL RL Result RL Result RL Result Result Result RL Result RŁ. mg/kg Analyte 10800 12100 18.0 11400 12500 10700 18.1 20.0 17.3 Aluminum 6.35 1.26 U 1.15 1.24 1.40 U 6,96 1.25 1.34 ŭ 6.05 Antimony 3.42 3.20 1.36 65.4 J+ 0.363 4 49 1.35 Arsenic 1.30 65.9 J+ 0.329 U 0.247 89.1 J 57.3 J+ 0.358 U 0.269 0.400 97.9 J+ 0.346 Barium 0.272 H 0.271 0.300 0.400 0.278 0.259 Beryllium 0.361 0.569 89500 0,329 40.8 1.09 0.558 83500 0.497 0.363 0.358 Cadmium 87300 548 49.0 36.4 8.87 58900 8,98 8.93 0.451 9.90 0,500 49000 8.55 Calcium 557 57.0 0.412 527 42.9 37.8 0.448 0.358 661 47.7 0.453 Chromium 0.361 0.329 0.400 0.400 0.346 39.6 Cobalt 0.329 45.1 36100 0.358 67.2 0.363 31.7 Соррег 52900 243 J 67.6 + 0.902 61.8 41700 39400 15.0 1.00 41700 64.8 13.1 J+ 0,864 1ron 30.4 J+ 0.824 26.8 J+ 0.896 69300 89.6 36.8 J+ 0.907 84400 90.7 90.2 0.361 94700 83200 82.4 82800 879 86.4 0.346 20.0 Magnesium 0.329 591 0.0452 654 0.363 0.400 Manganese 0.0366 0.541 0.0414 0.494 0.0375 0.119 0.0795 0.0656 759 0.0402 0.518 0.0567 0.0382 0.0400 Mercury Nickel 937 842 0.544 1030 J 22.7 829 0.600 743 J 20.6 U 1.07 891 J 22.5 U 1.17 U 0.451 1240 J 22.4 25.0 839 J 21.6 Potassium 1.16 0.448 1.18 0.453 U 1.12 U 0.432 167 86.4 2.06 1.56 66.5 J- 0.346 U U 1.30 Setenium U 0.412 95 82.4 0.500 Silver Sodium 195 172 1.79 90.7 1.63 90.2 1.62 187 89.6 205 100 1.80 2.09 U 1.48 U 1,61 65,0 J- 0.358 Thallium 60.6 J- 0.329 60.3 J- 0.361 57.8 J- 0.363 0.400 Vanadium 208 J+ 2.80 126 J+ 2.55 86.1 J+ 2.68 126 J+ 2.78 153 J+ 2.81 3.10

Table 1,6 Results of the Analysis for Metals in Soil WA # 0-358 Public Works Site Results Based on Dry Weight

Method REAC SOP 1811/1832

Sample No. Location Sub Location Percent Solids	00358-0006 4 Subsurface 86	00358-0007 5 Surface 73	00358-0008 6 Surface 80	00358-0009 7 Surface 82	
	Result RL	Result RL	Result RL ma/ka ma/ka	Result RL mg/kg mg/kg	
Analyte	mg/kg mg/kg	mg/kg mg/kg	mg/kg mg/kg	шулу палу	
Aluminum Antimony Arsenic Barium Beryllium Cadmium Calcium Chromium Cobalt Copper Iron Lead Magnesium Manganese Mercury Nickel Potassium Selenium Silver Sodium	8330 16.0 U 1.12 2.78 1.20 80.8 J+ 0.321 U 0.241 0.326 0.321 117000 39.7 298 0.401 26.9 0.321 27200 60.1 10.3 J+ 0.802 53300 80.2 540 0.321 0.0359 0.0323 447 0.481 587 J 20.0 U 1.04 U 0.401 176 80.2	10500 18.5 U 6.48 2.99 1.39 47.9 J+ 0.370 0.278 0.396 0.370 65500 9.16 727 0.463 58.5 0.370 30.4 0.370 41900 68.4 19.7 J+ 0.926 103000 92.6 103000 92.6 103000 0.555 800 J 23.1 U 1.20 0.580 0.483 105 0.483 105 0.283	13000 16.2 U 5.68 3.14 1.22 59.7 J+ 0.325 U 0.244 0.458 0.325 67600 8.04 563 0.406 47.1 0.325 34.5 0.325 40700 60.9 53.2 J+ 0.812 89200 81.2 603 0.325 0.121 0.0357 788 0.487 1190 J 20.3 U 1.06 U 0.406 226 81.2	14900 18.8 U 6.57 3.57 1.41 74.1 J+ 0.375 U 0.281 0.602 0.375 82400 9.29 527 0.469 45.8 0.375 40.4 0.375 39000 69.8 28.9 J+ 0.938 67600 93.1 609 0.375 0.153 0.0339 707 J 0.583 1240 J 23.5 U 1.22 U 0.469 160 93.8	
Thallium Vanadium Zinc	U 1,44 63.4 J- 0.321 72.0 J+ 2.49	U 1.67 61.4 J- 0.370 80.3 J+ 2.87	1.50 1.46 64,3 J- 0.325 122 J+ 2.52	U 1.69 74.3 J- 0.375 114 J+ 2.91	

Table 2.1 Results of the MS/MSD Analysis for VOC in Soil WA# 0-358 Public Works Site Results Based on Dry Weight

Sample No.: 00358-0001

	Added ug/kg	MS Conc. µg/kg	MS % Recovery	MSD Conc. µg/kg	MSD % Recovery	RPD_	RPD	QC Limits % Recovcery
P 5: · · · g								
u	70.4	72.9	104	78.2	111	7	22	59 - 172
	70.4	65.8	93	73.5	104	1 1	21	66 - 142
_			85	65.5	93	9	24	62 - 137
_				77.8	111	19	21	59 - 13 9
Ü	70.4	55.0	78	66.7	95	19	21	60 - 133
	Conc. µg/kg U U U U U	µg/kg µg/kg U 70.4 U 70.4 U 70.4 U 70.4 U 70.4 U 70.4	µg/kg µg/kg µg/kg U 70.4 72.9 U 70.4 65.8 U 70.4 59.6 U 70.4 64.0	µg/kg µg/kg µg/kg % Recovery U 70.4 72.9 104 U 70.4 65.8 93 U 70.4 59.6 85 U 70.4 64.0 91	µg/kg µg/kg µg/kg % Recovery µg/kg U 70.4 72.9 104 78.2 U 70.4 65.8 93 73.5 U 70.4 59.6 85 65.5 U 70.4 64.0 91 77.8	U 70.4 72.9 104 78.2 111 U 70.4 65.8 93 73.5 104 U 70.4 59.6 85 65.5 93 U 70.4 59.6 85 65.5 93 U 70.4 64.0 91 77.8 111	U 70.4 72.9 104 78.2 111 7 U 70.4 65.8 93 73.5 104 11 U 70.4 59.6 85 65.5 93 9 U 70.4 64.0 91 77.8 111 19	U 70.4 72.9 104 78.2 111 7 22 U 70.4 65.8 93 73.5 104 11 21 U 70.4 59.6 85 65.5 93 9 24 U 70.4 64.0 91 77.8 111 19 21

Table 2.2 Results of LCS Analysis for VOC in Soil WA# 0-358 Public Works Site

Sample ID: LCS BS093008-1

	LCS Spike	LCS			
	Added	Conc.	LCS	. —	QC Limits
Analyte	μg/Kg	µg/Kg	% Recovery		% Recovery
Dichlorodifluoromethane	50.0	30.3	61	*	70 - 130
Chloromethane	50.0	39.8	80		70 - 130
Vinyi Chloride	50.0	62.3	125		70 - 130
Bromomethane	50.0	53.2	106		70 - 130
Chloroethane	50.0	49.3	99		70 - 130
Chioroethane Trichlorofluoromethane	50.0	52.2	104		70 - 130
***************************************	50.0	71.3	143	*	70 - 130
Acetone	50.0	51.8	104		70 - 130
1,1-Dichloroethene	50.0	50.5	101		70 - 130
Methylene Chloride	50.0	43.2	86		70 - 130
Carbon Disulfide	50.0	40.9	82		70 - 130
Methyl-t-butyl Ether	50.0	51.1	102		70 - 130
trans-1,2-Dichloroethene	50.0	52.8	106		70 - 130
1,1-Dichloroethane		52.6 52.1	104		70 - 130
2-Butanone	50.0	48.6	97		70 - 130
2,2-Dichloropropane	50.0	50.9	102		70 - 130
cis-1,2-Dichloroethene	50.0		105		70 - 130
Chloroform	50.0	52.7 50.2	100		70 - 130
1,1-Dichloropropene	50.0	50.2 50.1	100		70 - 130
1,2-Dichloroethane	50.0		97		70 - 130
1,1,1-Trichloroethane	50.0	48.6	97 99		70 - 130
Carbon Tetrachloride	50.0	49.7	100		70 - 130
Benzene	50.0	49.9			70 - 130
Trichloroethene	50.0	46.7	93		70 - 130
1,2-Dichloropropane	50.0	46.2	92		70 - 130
Bromodichloromethane	50.0	45.9	92		70 - 130
Dibromomethane	50.0	46.4	93		70 - 130
cis-1,3-Dichloropropene	50.0	45.0	90		70 - 130
trans-1,3-Dichloropropene	50.0	49.5	99		70 - 130
1,1,2-Trichloroethane	50.0	45.7	91		70 - 130
1,3-Dichloropropane	50.0	45.5	91		70 - 130
Dibromochloromethane	50.0	46.7	93		
1,2-Dibromoethane	50.0	43.8	88		70 - 130
Bromoform	50.0	47.7	95		70 - 130
4-Methyl-2-Pentanone	50.0	34.8	70		70 - 130
Toluene	50.0	48.7	97		70 - 130
2-Hexanone	50.0	44.7	89		70 - 130
Tetrachloroethene	50.0	45.7	91		70 - 130
Chlorobenzene	50.0	47.2	94		70 - 130
1,1,1,2-Tetrachloroethane	50.0	48.0	96		70 - 130
Ethylbenzene	50.0	49.0	98		70 - 130
p&m-Xylene	100.0	96.6	97		70 - 130
o-Xylene	50.0	48.0	96		70 - 130
Styrene	50,0	48.0	96		70 - 130
Isopropylbenzene	50.0	50.2	100		70 - 130
1,1,2,2-Tetrachloroethane	50.0	44.1	88		70 - 130
1,2,3-Trichloropropane	50.0	43.6	87		70 - 130
n-Propylbenzene	50.0	48.3	97		70 - 130
Bromobenzene	50.0	46.2	92		70 - 130
1.3.5-Trimethylbenzene	50.0	49.7	99		70 - 130
2-Chlorotoluene	50.0	48.6	97		70 - 130
4-Chlorotoluene	50.0	49.4	99		70 - 130
tert-Butylbenzene	50.0	47.9	96		70 - 130
1,2,4-Trimethylbenzene	50.0	47.5	95		70 - 130
sec-Butylbenzene	50.0	47.1	94		70 - 130
p-Isopropyltoluene	50.0	46.5	93		70 - 130
	50.0	45.9	92		70 - 130
1,3-Dichlorobenzene	50.0	45.9	92		70 - 130
1,4-Dichlorobenzene	50.0	44.6	89		70 - 130
n-Butylbenzene		46.6	93		70 - 130
1,2-Dichlorobenzene	50.0	40.6	93 81		70 - 130
1,2-Dibromo-3-chloropropane	50.0	40,6 41.1	82		70 - 130
1,2,4-Trichlorobenzene	50.0		86		70 - 130
Hexachlorobutadiene	50.0	43.1	74		70 - 130
Naphthalene	50.0	37.2			70 - 130
1,2,3-Trichlorobenzene	50.0	41.4	83		10 - 100

^{*} Indicates out of the criteria

Table 2.3 Results of the MS/MSD Analysis for SVOC in Soil WA# 358 Public Works Site Results Based on Dry Weight

Sample ID: 00358-0008

Analyte	Sample Conc. µg/kg	MS/MSD Spike Added µg/kg	MS Conc. µg/kg	MS % Recovery	MSD Conc. μg/kg	MSD % Recovery	RPD	RPD	QC Limits % Recovcery
Phenol	U	4170	3050	73	3020	72	1	35	26 - 90
2-Chlorophenol	ŭ	4170	2940	71	2900	70	1	50	25 - 102
1,4-Dichlorobenzene	Ū	2080	1190	57	1160	56	2	27	28 - 104
N-Nitroso-di-n-propylami	Ū	2080	1460	70	1450	70	0	38	41 - 126
1,2,4-Trichlorobenzene	υ	2080	1330	64	1290	62	3	23	38 - 107
4-Chloro-3-methylpheno	U	4170	3340	80	3310	79	1	33	26 - 103
Acenaphthene	U	2080	1670	80	1630	78	3	19	31 - 137
4-Nitrophenol	U	4170	3790	91	3630	87	4	50	11 - 114
2,4-Dinitrotoluene	U	2080	1630	78	1540	74	5	47	28 - 89
Pentachlorophenol	U	4170	1140	27	1000	24	12	47	17 - 109
Pyrene	U	2080	1810	87	1770	85	2	36	35 - 142

Table 2.4 Results of the LCS Analysis for SVOC in Soil WA# 0-358 Public Works Site

Sample ID: SLCS-BS 50

Analyte	LCS Spike Added µg/kg	LCS Conc. µg/kg	LCS % Recovery	QC Limits % Recovery
Phenol 2-Chlorophenol 1,4-Dichlorobenzene N-Nitroso-di-n-propylamine 1,2,4-Trichlorobenzene 4-Chloro-3-methylphenol Acenaphthene 4-Nitrophenol 2,4-Dinitrotoluene Pentachlorophenol Pyrene	3330 3330 1670 1670 1670 3330 1670 3330 1670	2600 2590 1210 1240 1240 2550 1410 2830 1290 1770 1320	78 78 72 74 74 77 84 85 77 53	70 - 130 70 - 130 * 70 - 130 * 70 - 130

Table 2.5 Results of the MS/MSD Analysis for Pesticide/PCB in Soil WA# 358 Public Works Site Results Based on Dry Weight

Sample ID: 000358-0008

	Sample	MS/MSD Spike Added	MS Conc.	MS	MSD Conc.	MSD		QC Limit	s
Analyte	Conc. µg/kg	μg/kg	μg/kg	% Recovery	μg/kg	% Recovery	RPD	% Recovery	RPD
g-BHC	U	26.0	20.9	80	20.9	80	0	46 - 127	50
Heptachlor	ŭ	26.0	22.4	86	22.5	86	0	35 - 130	31
Aldrin	ŭ	26.0	21.5	83	21.1	81	2	34 - 132	43
Dieldrin	ij	52.1	48.1	92	48.4	93	1	31 - 134	38
Endrin	ij	52.1	56.0	108	55.1	106	2	42 - 139	45
p,p'-DDT	15.2	52.1	64.4	95	68.3	102	8	23 134	50

Table 2.6 Results of the LCS Analysis for Pesticide/PCB in Soil WA# 358 Public Works Site

Page 1 of 1

Sample ID: SLCS-PSF60 Date Analyzed: 10/02/08

	LCS			
	Spike	LCS		
	Added	Conc	LCS	QC Limits
Analyte	μg/kg	μg/kg	% Recovery	% Recovery
				7 0 400
a-BHC	16.7	14.6	88	70 - 130
g-BHC	16.7	14.5	87	70 - 130
b-BHC	16.7	14.4	86	70 - 130
d-BHC	16.7	14.4	86	70 - 130
Heptachlor	16.7	13.2	79	70 - 130
Aldrin	16.7	14.0	84	70 - 130
Heptachlor Epoxide	16.7	16.4	98	70 - 130
g-Chorodane	16.7	16.0	96	70 - 130
a-Chlorodane	16.7	15.4	92	70 - 130
Endosulfan (I)	16.7	14.7	88	70 - 130
p,p'-D D E	16.7	16.3	98	70 - 130
Dieldrin	16.7	16.0	96	70 - 130
Endrin	16.7	16.4	98	70 - 130
p.p'-D D D	16.7	16.2	97	70 - 130
Endosulfan (li)	16.7	15.7	94	70 - 130
Endrin Aldehyde	16.7	15.0	90	70 - 130
p,p'-D D T	16.7	16.3	98	70 - 130
Endosulfan Sulfate	16.7	16.6	100	70 - 130
Methoxychlor	16.7	16.5	99	70 - 130
Endrin Ketone	16.7	17.5	105	70 - 130

Table 2.7 Results of the MS/MSD Analysis for Metals in Soil WA # 0-358 Public Works Site Results Based on Dry Weight

Sample No.0035	Sample	MS Spike	_ MS	MS	MSD Spike Added	MSD Result	MSD			nmended Limits
Analyte	Result mg/kg	Added mg/kg	Result mg/kg	% Recovery	mg/kg	mg/kg	% Recovery	RPD	RPD	% Recovery
Alexander	14900	188	13700	NC	186	13200	NC	4	20	75 - 125
Aluminum	U	37.5	2,44	7	37.2	2.12	6	14	20	0 100
Antimony	3.57	37.5	39.3	95	37.2	37.9	92	4	20	75 - 125
Arsenic		37.5	136		* 37.2	117	115	15	20	75 - 125
Barium	74.1 U	37.5 37.5	35.4	94	37.2	34.0	91	4	20	75 - 125
Beryllium	-	37.5	34.9	91	37.2	33,2	88	5	20	75 - 125
Cadmium	0.602	188	75300	NC	186	82200	NC	9	20	75 - 125
Calcium	82400		532	NC NC	37.2	483	NC	10	20	75 - 125
Chromium	527	37.5		98	37.2	73.8	75	11	20	75 - 125
Cobalt	45.8	37.5	82.4	90 92	37.2	70.4	81	6	20	75 - 125
Copper	40.4	37.5	74.8	NC	186	38400	NC	9	20	75 - 125
ron	39000	188	42200		* 37.2	72.4	117	29	* 20	75 - 125
_ead	28.9	37.5	97.4	NC	186	66000	NC	15	20	75 - 125
Magnesium	67600	188	76900		37.2	610	NC	12	20	75 - 125
Manganese	609	37.5	691	NC		0.418	82	5	20	75 - 125
Mercury	0.153	0.334	0.439	86	0.325	655	NC	22	* 20	75 - 125
Nickel	707	37.5	816	NC	37.2	1150	NC	4	20	75 - 125
Potassium	1240	188	1200	NC	186	17.0	91	3	20	75 - 125
Selenium	Ų	18.8	17.6	94	18.6		95	Ă	20	75 - 125
Silver	U	37.5	36.9	98	37.2	35.3	100	2	20	75 - 125
Sodium	160	750	924	102	745	908	83	5	20	75 - 125
Thallium	U	18.8	16.3	87	18.6	15,5		* 11	20	75 - 125
Vanadium	74.3	37.5	113	103	37.2	101	72	* 11	20	75 - 125
Zinc	114	37.5	173	157	* 37.2	171	153	- 1	20	19 - 120

LCS Standard: ERA Lot No. D060-540-092908

Date Analyzed: 09/30/2008

Mercury: ERA Lot No. D060-540-092908

Date Analyzed: 09/29/2008

	Conc. Recovered	Certified Value	PALs		
Analyte	mg/kg	mg/kg	mg/kg	<u>% Recovery</u>	
			E400 44000	94	
Aluminum	9500	10100	5460 - 14800	68	
Antimony	68.4	101	16.7 - 185		
Arsenic	152	15 6	124 - 188	97	
Barium	346	362	299 - 424	96	
Beryllium	139	140	115 - 166	99	
Cadmium	142	141	114 - 169	101	
Calcium	9110	9770	7950 - 11600	93	
Chromium	76.4	76.3	61.5 - 91.0	100	
Cobalt	84.3	83.9	68.1 - 99.7	100	
	77.7	77.2	62.9 - 91.5	101	
Copper	17100	17800	9000 - 26600	96	
Iron	69.2	72.9	56.5 - 89.2	95	
Lead	3940	4020	3160 - 4870	98	
Magnesium	478	466	379 - 552	103	
Manganese	12.2	11.7	7.72 - 15.8	104	
Mercury	87.3	84.3	66.3 - 102	104	
Nickel	4150	5340	3930 - 6750	78	
Potassium		198	152 - 244	103	
Selenium	203	46.9	31.1 - 62.7	96	
Silver	44.9	706	519 - 892	89	
Sodium	630	218	177 - 260	87	
Thallium	190		45.9 - 79.6	99	
Vanadium	62.0	62.7	166 - 243	98	
Zinc	199	204	100 * 243	5 0	

PAL - Performance Acceptance Limits





No: 00358-09/25/08-0001

CHAIN OF CUSTODY RECORD Site #: 00358

Contact Name: Scott Grossman

Lab Phone: 732-321-4200

Lab: REAC

Contact Name, Scott Glossman	
Contact Phone: 732-321-4200	
and the second s	

Lab#	Sample #	Location	Sub Location	Analyses	Matrix	Collected	Sample Time	Numb Cont	Container	Preservative	MS/MSD
17858	00358-0001	1	Surface	VOCs	Soil	9/25/2008	10:18	1	8 oz glass	4 C	N
	00358-0001	1	Surface	Metals	Soil	9/25/2008	10:18	1	8 oz glass	4 C	N
V	00358-0001	1	Surface	PCBs, Pesticides, BNA's	Soil	9/25/2008	10:18	1	8 oz glass	4 C	N
17859	00358-0002	2	Surface	VOCs	Soil	9/25/2008	10:18	1	8 oz glass	4 C	N
	00358-0002	2	Surface	Metals	Soil	9/25/2008	10:18	1	8 oz glass	4 C	N
₩	00358-0002	2	Surface	PCBs, Pesticides, BNA's	Soil	9/25/2008	10:18	1	8 oz glass	4 C	N
17840	00358-0003	3	Surface	VOCs	Soil	9/25/2008	10:25	1	8 oz glass	4 C	N
1	00358-0003	3	Surface	Metals	Soil	9/25/2008	10:25	1	8 oz glass	4 C	N
\mathbf{V}	00358-0003	3	Surface	PCBs, Pesticides, BNA's	Soil	9/25/2008	10:25	1	8 oz glass	4 C	N
17861	00358-0004	3	Subsurface	VOC's, Metals, PCB's, BNA's, Pesticides	Soil	9/25/2008	10:33	1	8 oz glass	4 C	N ·
17862	00358-0005	4	Surface	VOCs	Soil	9/25/2008	10:27	1	8 oz glass	4 C	N
	00358-0005	4	Surface	Metals	Soil	9/25/2008	10:27	1	8 oz glass	4 C	N
	00358-0005	4	Surface	PCBs, Pesticides, BNA's	Soil	9/25/2008	10:27	1	8 oz glass	4 C	N
17863	00358-0006	4	Subsurface	VOC's, Metals, PCB's, BNA's, Pesticides	Soil	9/25/2008	10:27	1	8 oz glass	4 C	N
17844	00358-0007	5	Surface	VOCs	Soil	9/25/2008	10:52	1	8 oz glass	4 C	N
	00358-0007	5	Surface	Metals	Soil	9/25/2008	10:52	1	8 oz glass	4 C	N
↓	00358-0007	5	Surface	PCBs, Pesticides, BNA's	Soil	9/25/2008	10:52	1	8 oz glass	4 C	N
17865	00358-0008	6	Surface	VOCs	Soil	9/25/2008	09:56	1	8 oz glass	4 C	\n\

Sample 358-000	Il was calignated	for m	tects analysis	, Sampl	CS 358	-0004 and 35	8-0006 SAN	IPLES TRA	NSFERRED FROM		ì		
Special Instructions: were aliqueted for metals and Voc Analysis. Im 9/29/08									CHAIN OF CUSTODY #				
Sample 00353-	0001 Jarfor Ve	Kanaly	is received bro	Ken Scen	H Grossin	on Received							
Suid to vsc	conother be	<u> #1e to</u>	r VCC. Angly	5:5 m	1126/08		9/26/08						
Items/Reason	Relinquished by	Date	Received by	Date	Time	Items/Reason	Relinquished By	Date	Received by	Date	Time		
AWARI	BAM	9/25/09	Jam Harrie	9/26/08	915c	SJuis/Analysis	Janey Harrie	9/26/08	dillige	9/26/08	115		
17863/Anal.	A.TV-S	9 2908	Thory Thoras	c1/29/08	9,25	4 Sumples / Metals 3 Aliquets / Analysis		1	1.01	9/29/08	9:35		
7Jags BNA, PIP Ancilysis	mentara	4127104	The July	9/29/08	10:ED					,			





CHAIN OF CUSTODY RECORD

Site #: 00358

Contact Name: Scott Grossman

Contact Phone: 732-321-4200

No: 00358-09/25/08-0001

Lab: REAC

Lah	Dhono:	722 224	4200
Lab	Phone:	732-321	-4200

Lab#	Sample #	Location	Sub Location	Analyses	Matrix	Collected	Sample Time	Numb Cont	Container	Preservative	MS/MSD
17865	00358-0008	6	Surface	Metals	Soil	9/25/2008	09:56	1	8 oz glass	4 C	N
1	00358-0008	6	Surface	PCBs, Pesticides, BNA's	Soil	9/25/2008	09:56	1	8 oz glass	4 C	N
17864	00358-0009	7	Surface	VOCs	Soil	9/25/2008	09:56	1	8 oz glass	4 C	N
	00358-0009	7	Surface	Metals	Soil	9/25/2008	09:56	1	8 oz glass	4 C	N
	00358-0009	7	Surface	PCBs, Pesticides, BNA's	Soil	9/25/2008	09:56	1	8 oz glass	4 C	N
								-	J		'`
											
							 				
									-		
;					·					<u> </u>	
							1			+	
						_	 				
											
							\leftarrow		<u> </u>	-	-
							_	_			
							 				
			<u> </u>			 		-			
						 					
	-	†—— <u> </u>				 	 		<u> </u>		
i		·	l	<u> </u>		<u> </u>	_				

items/Reason	Relinquished by	Date	Received by	Date	Time	Items/Reason	Relinquished By	Date	Received by	Date	Time
All Anak	380	9/25/0	1//	9/11/108		IJai / NOC.		9136/08	A. IV-dye	9/26/08	
2 Scingles/Analysis	Jamy Touris	9/29/08	ANDA	9/29/08	9:35	Jars/Analysis	Jany Hatta	4/29/08	Mr. Mai	9/29/08	l .
!											
				<u></u>							